

TOOLS

tool
boxes

CAT. NO.

1053



THE SHERMAN-KLOVE CO.

.....
3535 W. 47th STREET • CHICAGO 32, ILLINOIS, U. S. A.

S
O
C
K
E
T

W
R
E
N
C
H

S
E
T
S

...foreword




tools shown in this catalog are designed to meet the exacting needs of the professional mechanic and, in our opinion, are the best tools made. This is confirmed by reports received from persons who use tools to earn their livelihood.

They are made of the finest steels obtainable for the particular purpose for which they are designed, accurately machined to close tolerances, heat treated and hardened to provide strength and long wear, chrome plated and polished for protection against rust and corrosion.

Warranty

All S-K Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship will be repaired or replaced free of charge upon inspection by the company. Tools abused or worn will not be replaced.

RATCHET RENEWALS



S-K Ratchets are so designed that it is a simple operation to remove a worn operating mechanism and install a Ratchet Renewal Unit (Refer to the illustrations on page 23 for details). For Ratchet Renewal Prices, refer to price list and part numbers B40970, B45170, B42470 and B47170.

Printed in U.S.A.

THE SHERMAN-KLOVE CO.

409 SERIES

S-K 1/4" square drive sockets and handles are preferred by automotive, aircraft and industrial mechanics because of design and accurate machining. All parts heat treated and tested, chromium plated and polished.

THIN WALL SOCKETS


Accurately broached to close tolerances, assuring proper fit on small nuts and bolts.

6 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40906	3/16"	7/8"	6	.18 lb.
40907	1/4"	7/8"	6	.18 lb.
40908	1/2"	7/8"	6	.19 lb.
40909	9/16"	7/8"	6	.19 lb.
40910	5/8"	7/8"	6	.19 lb.
40911	11/16"	7/8"	6	.21 lb.
40912	3/4"	7/8"	6	.23 lb.
40914	13/16"	7/8"	6	.31 lb.

8 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40988	1/4"	7/8"	6	.20 lb.
40900	5/16"	7/8"	6	.30 lb.
40901	3/8"	7/8"	6	.38 lb.




409 Series
6 Point

409 Series
8 Point

FLEX HEAD HANDLE

A versatile handle for intricate assembly jobs. Head is held in any desired position by friction ball and spring.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40953	5 1/4"	1 1/2"	6	1.30 lbs.



40953

40962

40950

40961

40970

CROSS BAR

To be used with No. 40953 Flex Handle to make handy L or T combinations. One end of bar is knurled to prevent slipping through hole in flex.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40950	4 1/2"	5/16"	6	.41 lb.

EXTENSIONS

For use with ratchet of flex handle to reach those inaccessible spots.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40961	2"	21/64"	6	.34 lb.
40962	6"	21/64"	6	.96 lb.

REVERSIBLE RATCHET

Closest acting positive type ratchet made. Has 60-tooth mechanism which permits operation in only 6° arc. This ratchet is preferred by professional mechanics who must assemble intricate parts in a minimum of space. For other details on S-K Ratchets, see page 23.

Part No.	Length	Head Diam.	Std. Pkg.	Pkg. Wt.
40970	4 1/2"	1 5/16"	6	1.20 lbs.

Sockets in 3/8" square drive are essential for maintenance of today's automobiles, aircraft and other modern machines and equipment. These thin, straight-wall sockets are designed for work in close quarters. Smaller sizes are furnished in six point (single hex) to assure proper fit on small bolts and nuts. All sockets provided with recess in four sides of female square to receive friction ball on handles. Heat treated, chromium plated and polished.

STANDARD SOCKETS

451 Series

6 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
45112	3/8"	7/8"	6	.27 lb.
45114	7/16"	7/8"	6	.28 lb.
45116	1/2"	7/8"	6	.32 lb.

12 Point

45118	9/16"	7/8"	6	.36 lb.
45120	5/8"	7/8"	6	.50 lb.
45122	11/16"	1"	6	.65 lb.
45124	3/4"	1"	6	.75 lb.

451 Series
6 Point

451 Series
12 Point

DEEP SOCKETS

404 Series

6 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40412	3/8"	1 3/4"	6	.43 lb.
40414	7/16"	1 3/4"	6	.45 lb.
40416	1/2"	1 3/4"	6	.53 lb.

12 Point

40418	9/16"	1 3/4"	6	.71 lb.
40420	5/8"	2 1/2"	6	1.20 lbs.
40422	11/16"	2 1/2"	6	1.50 lbs.
40424	3/4"	2 1/2"	6	1.60 lbs.
40426	13/16"	2 1/2"	6	1.80 lbs.

404 Series
6 Point

404 Series
12 Point

FLEX SOCKETS

406 Series

Indispensable for work in those hard-to-get-at places. Concealed friction springs hold socket in any desired position.

6 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40612	3/8"	1 5/8"	6	.55 lb.
40614	7/16"	1 5/8"	6	.55 lb.
40616	1/2"	1 5/8"	6	.65 lb.

12 Point

40618	9/16"	1 3/4"	6	.75 lb.
40620	5/8"	1 5/8"	6	.80 lb.
40622	11/16"	1 5/8"	6	.85 lb.
40624	3/4"	1 7/8"	6	.90 lb.

406 Series
6 Point

406 Series
12 Point

UNIVERSAL JOINT

Concealed friction springs hold unit in any desired position.

Part No.	Length	Std. Pkg.	Pkg. Wt.
45190	1 7/8"	6	.79 lb.

*45190



451 Series

REVERSIBLE RATCHET

Another of the famous line of S-K Ratchets. Close, positive action assured by 40-tooth mechanism. A handle that will save time on assembly work in cramped quarters. For other details on S-K Ratchets see page 23.

Part No.	Length	Head Diam.	Std. Pkg.	Pkg. Wt.
45170	7 1/2"	1 5/16"	6	4.0 lbs.

SPEEDER HANDLE

A handle designed for maximum speed in removing or tightening nuts and bolts.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
45181	16 1/2"	3/8"	6	5.80 lbs.

EXTENSIONS

Indispensable for reaching nuts and bolts set in channels or other hard-to-get-at places. Female square has recess in four sides to receive friction ball on handles.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
45160	2 5/8"	7/16"	6	.95 lb.
45161	6"	7/16"	6	1.80 lbs.
45162	11"	7/16"	6	3.10 lbs.

FLEX HEAD HANDLE


Drive square held in any desired position by friction ball and spring. Raised, knurled handle provides slip-proof grip and is cross-drilled for use with No. 45150 Cross Bar.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
45153	7 1/2"	5/8"	6	3.10 lbs.

CROSS BAR


Used with the No. 45153 Flex Handle to make handy L or T combinations. One end has stop ball to prevent Bar from slipping through hole in flex.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
45150	6"	5/16"	6	.85 lb.




45170

45181



45161



45162

45160



45150



45153

Sockets in 1/2" square drive are basic components of nearly every mechanic's tool kit. S-K thin, taper-wall sockets are heat treated and tested, chromium plated and polished and designed for rugged work on automobiles, farm equipment and industrial machinery. All sockets provided with recess in four sides of female square to receive friction ball on handles.

STANDARD SOCKETS

401 Series

12 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40114	7/16"	1 1/2"	6	.85 lb.
40116	1/2"	1 1/2"	6	.85 lb.
40118	9/16"	1 1/2"	6	.85 lb.
40119	19/32"	1 1/2"	6	.90 lb.
40120	5/8"	1 9/16"	6	.95 lb.
40122	11/16"	1 19/32"	6	1.10 lbs.
40124	3/4"	1 19/32"	6	1.50 lbs.
40125	25/32"	1 5/8"	6	1.40 lbs.
40126	13/16"	1 5/8"	6	1.70 lbs.
40128	7/8"	1 21/32"	6	1.80 lbs.
40130	15/16"	1 21/32"	6	2.00 lbs.
40132	1"	1 11/16"	6	2.60 lbs.
40134	1 1/16"	1 23/32"	6	2.90 lbs.
40136	1 1/8"	1 3/4"	6	3.10 lbs.
40138	1 1/16"	1 3/4"	6	3.70 lbs.
40140	1 1/4"	1 3/4"	6	3.50 lbs.

8 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40103	1/2"	1 3/8"	6	1.10 lbs.
40104	9/16"	1 3/8"	6	1.20 lbs.
40105	5/8"	1 3/8"	6	1.40 lbs.
40106	11/16"	1 3/8"	6	1.80 lbs.

DEEP SOCKETS

408 Series

12 Point

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
40818	9/16"	3 1/4"	6	1.70 lbs.
40820	5/8"	3 1/4"	6	1.50 lbs.
40822	11/16"	3 1/4"	6	1.70 lbs.
40824	3/4"	3 1/4"	6	2.50 lbs.
40826	13/16"	3 1/4"	6	2.60 lbs.
40828	7/8"	3 1/4"	6	3.00 lbs.
40830	15/16"	3 1/4"	6	3.30 lbs.
40832	1"	3 1/4"	6	3.60 lbs.
40836	1 1/8"	3 1/4"	6	5.00 lbs.

DRAG LINK SOCKET

For use on slotted nuts, tie rods and drag links.

Part No.	Blade Dim.	Length	Std. Pkg.	Pkg. Wt.
40809	15/16" x .12"	1 19/32"	6	1.05 lbs.

FORD V8 CONNECTING ROD SOCKET


The best available steel is used in the manufacture of this socket, but due to the fact that the walls must be extra thin, it is not guaranteed.

Part No.	Size	Length	Std. Pkg.	Pkg. Wt.
4V118	9/16"	1 1/4"	6	.80 lb.


Extra Thin — Not Guaranteed

UNIVERSAL JOINT


Part No.	Length	Std. Pkg.	Pkg. Wt.
40190	2 5/16"	6	1.50 lbs.




401 Series
12 Point




401 Series
8 Point




408 Series



40809



4V118



40190



REVERSIBLE RATCHET

This positive type, reversible ratchet is acclaimed the world over by professional mechanics. Precision machined, 50-tooth mechanism assures close action where needed. For other details on S-K Ratchets see page 23.

Part No.	Length	Head Diam.	Std. Pkg.	Pkg. Wt.
42470	10 1/2"	1 3/4"	6	8.30 lbs.

SPEEDER HANDLE

Designed for maximum speed in running nuts and bolts on or off.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40181	18"	1/2"	6	9.90 lbs.

FLEX HEAD HANDLES

Head is held in any desired position by friction ball and spring. No. 41653 is a dual purpose tool, having a female square broached in handle for use as a 17" extension. See inset.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40253	14 1/2"	5/8"	6	8.20 lbs.
41653	17"	5/8"	6	12.00 lbs.

CROSS BARS

For use with flex head handles to make handy L or T combinations.

Part No.	Used With	Length	Diam.	Std. Pkg.	Pkg. Wt.
40250	40253	10 1/2"	3/8"	6	2.10 lbs.
41650	41653	10"	9/16"	6	4.30 lbs.

SLIDE "T" HANDLE





Sliding head is held in any position by friction ball and spring. Bar has center groove for positive position. Also stops at both ends to prevent head from sliding off bar.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40152	10"	9/16"	6	5.60 lbs.

EXTENSIONS

Female square has recess in four sides to receive and grip friction ball on handles.

Part No.	Length	Diam.	Std. Pkg.	Pkg. Wt.
40161	5"	5/8"	6	2.90 lbs.
40162	10"	5/8"	6	5.50 lbs.



40152

40250

471 Series

Heat Treated and Tested
Chromium Plated and Polished

SOCKETS

12 Point

Part No.	Size	Length	Std. Pkg.	Wt. Each
47134	1 1/16"	2"	1	.55 lb.
47136	1 1/8"	2 1/16"	1	.75 lb.
47138	1 3/16"	2 3/8"	1	.82 lb.
47140	1 1/4"	2 1/2"	1	.82 lb.
47142	1 5/16"	2 5/8"	1	1.00 lb.
47144	1 3/8"	2 3/4"	1	1.00 lb.
47146	1 7/8"	2 1/2"	1	1.10 lbs.
47148	1 1/2"	2 5/8"	1	1.20 lbs.
47150	1 9/16"	2 11/16"	1	1.40 lbs.
47152	1 5/8"	2 3/4"	1	1.40 lbs.
47154	1 11/16"	2 1/2"	1	1.60 lbs.
47156	1 3/4"	2 1/2"	1	1.90 lbs.
47158	1 13/16"	2 9/16"	1	1.90 lbs.
47160	1 7/8"	2 5/8"	1	2.10 lbs.
47164	2"	2 11/16"	1	2.30 lbs.

471 Series

REVERSIBLE RATCHET

Positive type, 70-tooth mechanism operates in only 5.1°. Strength, balance and durability also are contributing factors to its unprecedented mechanic acceptance. For other details on S-K Ratchets see page 23.

Part No.	Length	Head Diam.	Std. Pkg.	Wt. Each
47170	18"	2 3/4"	1	4.90 lbs.

FLEX HEAD HANDLE

Head held in any desired position by friction ball and spring. Heavy spring behind double ball in drive square holds socket securely. Raised knurled handle provides firm comfortable grip.

Part No.	Length	Diam.	Std. Pkg.	Wt. Each
47155	19"	1 7/8"	1	3.40 lbs.

SLIDE "T" HANDLE

Friction ball and spring holds head at any point on bar.

Part No.	Length	Diam.	Std. Pkg.	Wt. Each
47153	18"	1 7/8"	1	3.70 lbs.

EXTENSIONS

Strong spring behind double ball in drive end assures socket being held in place at all times.

Part No.	Length	Diam.	Std. Pkg.	Wt. Each
47161	8"	1 5/16"	1	1.60 lbs.
47162	16"	1 5/16"	1	3.30 lbs.

47161

47162





wrench sets

S-K

a Socket Wrench Set is a Complete Tool

composed of a range of sockets and various handles. Any loose socket or handle is merely an accessory or part of the Complete Tool. A socket by itself has no value until used in combination with a handle.

Unlike others in this Industry who expend nearly all their efforts on display and promotion of loose sockets and handles or "fill-ins", the majority of our manufacturing resources and

sales efforts are devoted to producing and selling complete sets of incomparable value. S-K Socket Sets have gained unparalleled mechanic acceptance and are the standard of comparison.

Socket sets account for more than 60% of our total tool sales, measured in dollars. Obviously it follows that the S-K Distributor, Jobber or Dealer should bear in mind that over 60% of his potential S-K sales volume is represented by sets described on this and following pages.

No. 4097 Set

This fine, eleven-piece set will prove invaluable to the mechanic who must make close adjustments of small bolts and nuts. Packed in metal box, baked enamel finish, and contains one each of the following:

No.	Description	No.	Description
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40988	$\frac{1}{4}$ " 8 Pt. Skt.
40909	$\frac{5}{32}$ " 6 Pt. Skt.	40900	$\frac{5}{16}$ " 8 Pt. Skt.
40910	$\frac{5}{16}$ " 6 Pt. Skt.	40901	$\frac{3}{8}$ " 8 Pt. Skt.
40911	$\frac{11}{32}$ " 6 Pt. Skt.	40950	Cross Bar
40912	$\frac{3}{8}$ " 6 Pt. Skt.	40953	Flex Handle
40914	$\frac{7}{16}$ " 6 Pt. Skt.		

No. 4097 Set (Eleven Pieces)
Std. Pkg. 1

Shipping Weight Each, 1.2 lbs.

square drive

$\frac{1}{4}$ "



4097

No. 4098 Set

A complete $\frac{1}{4}$ " square drive set, indispensable to the mechanic working on automotive, aviation, refrigeration, radio or television equipment. Sixteen pieces packed in metal case, baked enamel finish. Consists of one each of the following:

No.	Description	No.	Description
40906	$\frac{3}{16}$ " 6 Pt. Skt.	40988	$\frac{1}{4}$ " 8 Pt. Skt.
40907	$\frac{7}{32}$ " 6 Pt. Skt.	40900	$\frac{5}{16}$ " 8 Pt. Skt.
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40901	$\frac{3}{8}$ " 8 Pt. Skt.
40909	$\frac{5}{32}$ " 6 Pt. Skt.	40950	Cross Bar
40910	$\frac{5}{16}$ " 6 Pt. Skt.	40953	Flex Handle
40911	$\frac{11}{32}$ " 6 Pt. Skt.	40961	2" Extension
40912	$\frac{3}{8}$ " 6 Pt. Skt.	40962	6" Extension
40914	$\frac{7}{16}$ " 6 Pt. Skt.	40970	Reversible Ratchet

No. 4098 Set (Sixteen Pieces)
Std. Pkg. 1

Shipping Weight Each, 1.6 lbs.

square drive

$\frac{1}{4}$ "



4098

S-K

wrench sets



3/8"

square drive



4606

No. 4606 Set FLEX SOCKET SET

On modern machines and equipment of all types, nuts and bolts are found in many inaccessible spots, making flex sockets an absolute necessity. Packed in steel case, baked enamel finish, and consists of one each of the following:

No.	Description	No.	Description
40612	3/8" Flex Skt.	40620	5/8" Flex Skt.
40614	7/16" Flex Skt.	40622	1 1/16" Flex Skt.
40616	1/2" Flex Skt.	40624	3/4" Flex Skt.
40618	9/16" Flex Skt.		

No. 4606 Set (Seven Pieces)

Std. Pkg. 1

Shipping Weight Each, 1.1 lbs.



4408

No. 4408 Set DEEP SOCKET SET


There are a multitude of practical uses for the thin, straight-wall sockets in this set. Spark plugs and recessed nuts and bolts are among the more common uses. Packed in baked enamel finish steel case. Consists of one each of the following:

No.	Description	No.	Description
40412	3/8" Deep Skt.	40420	5/8" Deep Skt.
40414	7/16" Deep Skt.	40422	1 1/16" Deep Skt.
40416	1/2" Deep Skt.	40424	3/4" Deep Skt.
40418	9/16" Deep Skt.	40426	1 3/16" Deep Skt.

No. 4408 Set (Eight Pieces)

Std. Pkg. 1

Shipping Weight Each, 1.8 lbs.



4511

No. 4511 Set

An eleven-piece selection for the mechanic who wants only the most basic 3/8" square drive sockets and handles. Packed in metal case, baked enamel finish. Contains one each of the following:

No.	Description	No.	Description
45112	3/8" Skt.	45124	3/4" Skt.
45114	7/16" Skt.	45150	Cross Bar
45116	1/2" Skt.	45153	Flex Handle
45118	9/16" Skt.	45160	2 5/8" Extension
45120	5/8" Skt.	45170	Reversible Ratchet
45122	1 1/16" Skt.		

No. 4511 Set (Eleven Pieces)

Std. Pkg. 1

Shipping Weight Each, 3.2 lbs.

THE SHERMAN-KLOVE CO.



No. 4517 Set

This very popular 14 piece set has been accepted by tool users everywhere. All the $\frac{3}{8}$ " square drive sockets and handles necessary for a minor repair job. Packed in a metal case, baked enamel finish, and consists of one each of the following:

No.	Description	No.	Description
45112	$\frac{3}{8}$ " Skt.	45150	Cross Bar
45114	$\frac{1}{16}$ " Skt.	45153	Flex Handle
45116	$\frac{1}{2}$ " Skt.	45161	6" Extension
45118	$\frac{9}{16}$ " Skt.	45162	11" Extension
45120	$\frac{5}{8}$ " Skt.	45170	Reversible Ratchet
45122	$\frac{11}{16}$ " Skt.	45181	Speeder
45124	$\frac{3}{4}$ " Skt.	45190	Universal Joint


No. 4517 Set (Fourteen Pieces)
Std. Pkg. 3

Shipping Weight, 19 lbs.

No. T4517 Tools Only (No. 4517 Set Without Box)

Std. Pkg. 1

Shipping Weight Each, 4.0 lbs.



4517

square drive $\frac{3}{8}$ "

No. 4530 Set


Work on modern machines, especially automobiles, demands a complete range of thin straight wall sockets, flex sockets, extensions, handles and reversible ratchet in $\frac{3}{8}$ " square drive. This set includes all these tools. Packed in a metal box, baked enamel finish, with partitions to accommodate the thirty pieces, and yet is compact enough for the mechanic to include the complete assortment in his larger tool chest separate from other tools. Set consists of one each of the following:

No.	Description	No.	Description
40412	$\frac{3}{8}$ " Deep Skt.	45112	$\frac{3}{8}$ " Skt.
40414	$\frac{1}{16}$ " Deep Skt.	45114	$\frac{1}{16}$ " Skt.
40416	$\frac{1}{2}$ " Deep Skt.	45116	$\frac{1}{2}$ " Skt.
40418	$\frac{9}{16}$ " Deep Skt.	45118	$\frac{9}{16}$ " Skt.
40420	$\frac{5}{8}$ " Deep Skt.	45120	$\frac{5}{8}$ " Skt.
40422	$\frac{11}{16}$ " Deep Skt.	45122	$\frac{11}{16}$ " Skt.
40424	$\frac{3}{4}$ " Deep Skt.	45124	$\frac{3}{4}$ " Skt.
40426	$\frac{13}{16}$ " Deep Skt.	45150	Cross Bar
40612	$\frac{3}{8}$ " Flex Skt.	45153	Flex Handle
40614	$\frac{1}{16}$ " Flex Skt.	45160	$\frac{25}{8}$ " Extension
40616	$\frac{1}{2}$ " Flex Skt.	45161	6" Extension
40618	$\frac{9}{16}$ " Flex Skt.	45162	11" Extension
40620	$\frac{5}{8}$ " Flex Skt.	45170	Reversible Ratchet
40622	$\frac{11}{16}$ " Flex Skt.	45181	Speeder
40624	$\frac{3}{4}$ " Flex Skt.	45190	Universal Joint

No. 4530 Set (Thirty Pieces)

Std. Pkg. 1

Shipping Weight Each, 10 lbs.



4530

square drive $\frac{3}{8}$ "



1/2" square drive



4809

No. 4809 Set

DEEP SOCKET SET


The nine 1/2" square drive deep sockets in this set are required for many uses where no other type socket will do. Recessed nuts, bolts and spark plugs are some of the common uses. Packed in metal box, baked enamel finish, and contains one each of the following:

No.	Description	No.	Description
40818	9/16" Deep Skt.	40828	7/8" Deep Skt.
40820	5/8" Deep Skt.	40830	15/16" Deep Skt.
40822	11/16" Deep Skt.	40832	1" Deep Skt.
40824	3/4" Deep Skt.	40836	1 1/8" Deep Skt.
40826	13/16" Deep Skt.		

No. 4809 Set (Nine Pieces)

Std. Pkg. 1

Shipping Weight Each, 5.0 lbs.



4012

No. 4012 Set


For the home handy-man who wants a set of 1/2" square drive socket wrenches at a low cost. Packed in metal carrying case, baked enamel finish. Consists of one each of the following:

No.	Description	No.	Description
40114	7/16" Skt.	40126	13/16" Skt.
40116	1/2" Skt.	40128	7/8" Skt.
40118	9/16" Skt.	40130	15/16" Skt.
40120	5/8" Skt.	40132	1" Skt.
40122	11/16" Skt.	40250	Cross Bar
40124	3/4" Skt.	40253	Flex Handle

No. 4012 Set (Twelve Pieces)

Std. Pkg. 6

Shipping Weight 37 lbs.



4015

No. 4015 Set

This fifteen piece set is designed to serve the mechanic who requires only the basic 1/2" square drive sockets and handles. The 50-tooth reversible ratchet is a speed tool that will save the user much time and effort. The No. 41653 Flex Handle may be used as a 17" extension. Packed in steel case, baked enamel finish, and consists of one each of the following:

No.	Description	No.	Description
40114	7/16" Skt.	40130	15/16" Skt.
40116	1/2" Skt.	40132	1" Skt.
40118	9/16" Skt.	40134	1 1/16" Skt.
40120	5/8" Skt.	40136	1 1/8" Skt.
40122	11/16" Skt.	41650	Cross Bar
40124	3/4" Skt.	41653	Flex Handle
40126	13/16" Skt.	42470	Ratchet
40128	7/8" Skt.		

No. 4015 Set (Fifteen Pieces)

Std. Pkg. 6

Shipping Weight, 57 lbs.



No. 4018 Set

With this very practical eighteen piece set of $\frac{1}{2}$ " square drive sockets and handles it is possible to do much of the tear-down and reassembly work on automobiles, small trucks or farm equipment. Packed in metal case, baked enamel finish, and contains one each of the following:


No.	Description	No.	Description
40114	$\frac{7}{16}$ " Skt.	40132	1" Skt.
40116	$\frac{1}{2}$ " Skt.	40134	$1\frac{1}{16}$ " Skt.
40118	$\frac{9}{16}$ " Skt.	40136	$1\frac{1}{8}$ " Skt.
40120	$\frac{5}{8}$ " Skt.	40152	Slide T
40122	$1\frac{1}{16}$ " Skt.	40161	5" Extension
40124	$\frac{3}{4}$ " Skt.	40162	10" Extension
40126	$1\frac{3}{16}$ " Skt.	40181	Speeder
40128	$\frac{7}{8}$ " Skt.	41653	Flex Handle
40130	$1\frac{5}{16}$ " Skt.	42470	Reversible Ratchet

No. 4018 Set (Eighteen Pieces)
Std. Pkg. 3

Shipping Weight, 43 lbs.

No. T4018 Tools Only (No. 4018 Set Without Box)
Std. Pkg. 1

Shipping Weight Each, 10 lbs.



4018

square
drive

$\frac{1}{2}$ "

No. 4502 Set

This thirty-two piece deluxe, general purpose set has received instant acceptance by the mechanic wherever shown. In addition to the wide range of $\frac{1}{2}$ " square drive 12-point sockets and handles, it also has the No. 4097 Midget Set, packed in individual metal case. The complete set is packed in a very sturdily constructed hip-roof box with lift-out tray. In the bottom of the box, beneath the tray, there is ample room for practically all of the other tools a mechanic may need for any job. Piano type hinges, metal carrying handle, nickel plated hasp for padlock, corner irons and side catches. Baked enamel finish. Overall dimensions of box — 19" x 7" x 8 $\frac{3}{4}$ ". Set consists of one each of the following:

No.	Description	No.	Description
$\frac{1}{4}$" Square Drive Sockets and Handles			
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40119	$1\frac{9}{32}$ " Skt.
40909	$\frac{9}{32}$ " 6 Pt. Skt.	40120	$\frac{5}{8}$ " Skt.
40910	$\frac{5}{16}$ " 6 Pt. Skt.	40122	$1\frac{1}{16}$ " Skt.
40911	$1\frac{1}{32}$ " 6 Pt. Skt.	40124	$\frac{3}{4}$ " Skt.
40912	$\frac{3}{8}$ " 6 Pt. Skt.	40125	$2\frac{5}{32}$ " Skt.
40914	$\frac{7}{16}$ " 6 Pt. Skt.	40126	$1\frac{3}{8}$ " Skt.
40988	$\frac{1}{4}$ " 8 Pt. Skt.	40128	$\frac{7}{8}$ " Skt.
40900	$\frac{5}{16}$ " 8 Pt. Skt.	40130	$1\frac{5}{16}$ " Skt.
40901	$\frac{3}{8}$ " 8 Pt. Skt.	40132	1" Skt.
40950	Cross Bar	40134	$1\frac{1}{16}$ " Skt.
40953	Flex Handle	40136	$1\frac{1}{8}$ " Skt.
$\frac{1}{2}$" Square Drive Sockets and Handles			
40114	$\frac{7}{16}$ " Skt.	40152	Slide T
40116	$\frac{1}{2}$ " Skt.	40161	5" Extension
40118	$\frac{9}{16}$ " Skt.	40162	10" Extension
		40181	Speeder
		41650	Cross Bar
		41653	Flex Handle
		42470	Rev. Ratchet

No. 4502 Set (Thirty-two Pieces)
Std. Pkg. 1

Shipping Weight Each, 23 lbs.



4502

square
drive

$\frac{1}{4}$ "
 $\frac{1}{2}$ "

No. 4347 Set

This thirty-two piece, general purpose set will enable the mechanic to meet the present day necessity for speed which he must have if he is to hold his place in competition. A wide range of $\frac{1}{2}$ " square drive, 12-point sockets and necessary handles are packed in a metal box, baked enamel finish. The No. 4097 Midget Set is included in a separate box which is removable. Set consists of one each of the following:

No.	Description	No.	Description
$\frac{1}{4}$" Sq. Drive Sockets and Handles			
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40119	$\frac{19}{32}$ " Skt.
40909	$\frac{9}{32}$ " 6 Pt. Skt.	40120	$\frac{5}{8}$ " Skt.
40910	$\frac{5}{16}$ " 6 Pt. Skt.	40122	$\frac{11}{16}$ " Skt.
40911	$\frac{11}{32}$ " 6 Pt. Skt.	40124	$\frac{3}{4}$ " Skt.
40912	$\frac{3}{8}$ " 6 Pt. Skt.	40125	$\frac{25}{32}$ " Skt.
40914	$\frac{7}{16}$ " 6 Pt. Skt.	40126	$\frac{13}{16}$ " Skt.
40988	$\frac{1}{4}$ " 8 Pt. Skt.	40128	$\frac{7}{8}$ " Skt.
40900	$\frac{5}{16}$ " 8 Pt. Skt.	40130	$\frac{15}{16}$ " Skt.
40901	$\frac{3}{8}$ " 8 Pt. Skt.	40132	1" Skt.
40950	Cross Bar	40134	$1\frac{1}{16}$ " Skt.
40953	Flex Handle	40136	$1\frac{1}{8}$ " Skt.
$\frac{1}{2}$" Sq. Drive Sockets and Handles			
40114	$\frac{7}{16}$ " Skt.	40152	Slide T
40116	$\frac{1}{2}$ " Skt.	40161	5" Extension
40118	$\frac{9}{16}$ " Skt.	40162	10" Extension
		40181	Speeder
		41650	Cross Bar
		41653	Flex Handle
		42470	Reversible Ratchet

No. 4347 Set (Thirty-two Pieces)

Std. Pkg. 3

Shipping Weight 50 lbs.



4347

No. 4218 Set

A useful, eighteen piece selection of basic $\frac{1}{2}$ " square drive sockets and handles to which other items can be added as required. Packed in a hip-roof box with liftout tray. Ample space beneath tray for other hand tools. Box equipped with piano type hinge, hasp and side catches. Overall dimensions—20" x 6" x 6". Baked enamel finish. Set includes one each of the following:

No.	Description	No.	Description
40114	$\frac{7}{16}$ " Skt.	40132	1" Skt.
40116	$\frac{1}{2}$ " Skt.	40134	$1\frac{1}{16}$ " Skt.
40118	$\frac{9}{16}$ " Skt.	40136	$1\frac{1}{8}$ " Skt.
40120	$\frac{5}{8}$ " Skt.	40152	Slide T.
40122	$\frac{11}{16}$ " Skt.	40161	5" Extension
40124	$\frac{3}{4}$ " Skt.	40162	10" Extension
40126	$\frac{13}{16}$ " Skt.	40181	Speeder
40128	$\frac{7}{8}$ " Skt.	41653	Flex Handle
40130	$\frac{15}{16}$ " Skt.	42470	Reversible Ratchet

No. 4218 Set (Eighteen Pieces)

Std. Pkg. 1

Shipping Weight Each, 19 lbs.



4218



THE SHERMAN-KLOVE CO.



No. 4053 SET

This fifty-three piece selection of tools includes a wide range of $\frac{1}{4}$ ", $\frac{3}{8}$ " and $\frac{1}{2}$ " square drive standard sockets, extensions, handles and universal joints. Midget set is packed in individual metal box. Complete set packed in our No.

6000 MASTER MECHANIC TOOL BOX. (For detailed information on this box, refer to listing on page 22) Set consists of one each of the following:

No.	Description
$\frac{1}{4}$" Sq. Drive Sockets and Handles	
40906	$\frac{3}{16}$ " 6 Pt. Skt.
40907	$\frac{7}{32}$ " 6 Pt. Skt.
40908	$\frac{1}{4}$ " 6 Pt. Skt.
40909	$\frac{9}{32}$ " 6 Pt. Skt.
40910	$\frac{5}{16}$ " 6 Pt. Skt.
40911	$\frac{11}{32}$ " 6 Pt. Skt.
40912	$\frac{3}{8}$ " 6 Pt. Skt.
40914	$\frac{7}{16}$ " 6 Pt. Skt.
40988	$\frac{1}{4}$ " 8 Pt. Skt.
40900	$\frac{5}{16}$ " 8 Pt. Skt.
40901	$\frac{3}{8}$ " 8 Pt. Skt.
40950	Cross Bar
40953	Flex Handle
40961	2" Extension
40962	6" Extension
40970	Reversible Ratchet
$\frac{3}{8}$" Sq. Drive Sockets and Handles	
45112	$\frac{3}{8}$ " Skt.
45114	$\frac{7}{16}$ " Skt.
45116	$\frac{1}{2}$ " Skt.
45118	$\frac{9}{16}$ " Skt.
45120	$\frac{5}{8}$ " Skt.
45122	$\frac{11}{16}$ " Skt.
45124	$\frac{3}{4}$ " Skt.
45150	Cross Bar
45153	Flex Handle
45160	2 $\frac{5}{8}$ " Extension
45161	6" Extension
45162	11" Extension
45170	Reversible Ratchet
45181	Speeder
45190	Universal Joint
$\frac{1}{2}$" Sq. Drive Sockets and Handles	
40114	$\frac{7}{16}$ " Skt.
40116	$\frac{1}{2}$ " Skt.
40118	$\frac{9}{16}$ " Skt.
40119	$\frac{19}{32}$ " Skt.
40120	$\frac{5}{8}$ " Skt.
40122	$\frac{11}{16}$ " Skt.
40124	$\frac{3}{4}$ " Skt.
40125	$\frac{25}{32}$ " Skt.
40126	$\frac{13}{16}$ " Skt.
40128	$\frac{7}{8}$ " Skt.
40130	$\frac{15}{16}$ " Skt.
40132	1" Skt.
40134	$1\frac{1}{16}$ " Skt.
40136	$1\frac{1}{8}$ " Skt.
40152	Slide T
40161	5" Extension
40162	10" Extension
40181	Speeder
40190	Universal Joint
41650	Cross Bar
41653	Flex Handle
42470	Reversible Ratchet

square drive



No. 4053 Set (Fifty-three Pieces)
Std. Pkg. 1 Shipping Weight Each, 32 lbs.

S-K

wrench sets

No. 4066 SET

This sixty-six piece, all-purpose assortment of tools is designed for the mechanic who is required to work on a wide variety of machinery and equipment. Packed in our No. 6000 MASTER MECHANIC'S TOOL BOX. (For detailed information on this box, refer to page 22) Set contains one each of the following:

**1/4" 3/8" square
1/2" 3/4" drive**



No.	Description
-----	-------------

Box End Wrenches

33512	3/8" x 7/16"	Short
33516	1/2" x 9/16"	Short
33520	5/8" x 11/16"	Short
33012	3/8" x 7/16"	Long
33016	1/2" x 9/16"	Long
33018	9/16" x 5/8"	Long
33022	11/16" x 3/4"	Long
33026	13/16" x 7/8"	Long
33030	15/16" x 1"	Long

No. 4066 Set (Sixty-six Pieces)

Std. Pkg. 1

Shipping Weight Each, 50 lbs.

No.	Description
-----	-------------

1/4" Sq. Drive Sockets and Handles

40908	1/4"	6 Pt. Skt.
40909	9/32"	6 Pt. Skt.
40910	5/16"	6 Pt. Skt.
40911	11/32"	6 Pt. Skt.
40912	3/8"	6 Pt. Skt.
40914	7/16"	6 Pt. Skt.
40988	1/4"	8 Pt. Skt.
40900	5/16"	8 Pt. Skt.
40901	3/8"	8 Pt. Skt.
40950		Cross Bar
40953		Flex Handle

3/8" Sq. Drive Sockets and Handles

45112	3/8"	Skt.
45114	7/16"	Skt.
45116	1/2"	Skt.
45118	9/16"	Skt.
45120	5/8"	Skt.
45122	11/16"	Skt.
45124	3/4"	Skt.
45150		Cross Bar
45153		Flex Handle
45161	6"	Extension
45162	11"	Extension
45170		Reversible Ratchet
45181		Speeder
45190		Universal Joint

1/2" Sq. Drive Sockets and Handles

40114	7/16"	Skt.
40116	1/2"	Skt.
40118	9/16"	Skt.
40119	19/32"	Skt.
40120	5/8"	Skt.
40122	11/16"	Skt.
40124	3/4"	Skt.
40125	25/32"	Skt.
40126	15/16"	Skt.
40128	7/8"	Skt.
40130	15/16"	Skt.
40132	1"	Skt.
40134	1 1/16"	Skt.
40136	1 1/8"	Skt.
40152		Slide T
40161	5"	Extension
40162	10"	Extension
40181		Speeder
40190		Universal Joint
41650		Cross Bar
41653		Flex Handle
42470		Ratchet

3/4" Sq. Drive Sockets and Handles

47134	1 1/16"	Skt.
47136	1 1/8"	Skt.
47140	1 1/4"	Skt.
47144	1 3/8"	Skt.
47146	1 1/2"	Skt.
47148	1 5/8"	Skt.
47152	1 3/4"	Skt.
47153		Slide T
47161	8"	Extension
47162	16"	Extension



THE SHERMAN-KLOVE CO.

No. 4088 SOCKETCHEST

wrench
sets
S-K

No. Description

1/4" Sq. Drive Sockets and Handles

40906	3/16"	6 Pt. Skt.
40907	7/32"	6 Pt. Skt.
40908	1/4"	6 Pt. Skt.
40909	9/32"	6 Pt. Skt.
40910	5/16"	6 Pt. Skt.
40911	11/32"	6 Pt. Skt.
40912	3/8"	6 Pt. Skt.
40914	7/16"	6 Pt. Skt.
40988	1/4"	8 Pt. Skt.
40900	5/16"	8 Pt. Skt.
40901	3/8"	8 Pt. Skt.
40950		Cross Bar
40953		Flex Handle
40961		2" Extension
40962		6" Extension
40970		Reversible Ratchet

3/8" Sq. Drive Sockets and Handles


45112	3/8"	Skt.
45114	7/16"	Skt.
45116	1/2"	Skt.
45118	9/16"	Skt.
45120	5/8"	Skt.
45122	11/16"	Skt.
45124	3/4"	Skt.
45150		Cross Bar
45153		Flex Handle
45160		2 5/8" Extension
45161		6" Extension
45162		11" Extension
45170		Reversible Ratchet
45181		Speeder
45190		Universal Joint
40412	3/8"	Deep Skt.
40414	7/16"	Deep Skt.
40416	1/2"	Deep Skt.
40418	9/16"	Deep Skt.
40420	5/8"	Deep Skt.
40422	11/16"	Deep Skt.
40424	3/4"	Deep Skt.
40426	13/16"	Deep Skt.
40612	3/8"	Flex Skt.
40614	7/16"	Flex Skt.
40616	1/2"	Flex Skt.
40618	9/16"	Flex Skt.
40620	5/8"	Flex Skt.
40622	11/16"	Flex Skt.
40624	3/4"	Flex Skt.

1/2" Sq. Drive Sockets and Handles

40114	7/16"	Skt.
40116	1/2"	Skt.
40118	9/16"	Skt.
40119	19/32"	Skt.
40120	5/8"	Skt.
40122	11/16"	Skt.
40124	3/4"	Skt.
40125	25/32"	Skt.
40126	13/16"	Skt.
40128	7/8"	Skt.
40130	15/16"	Skt.
40132	1"	Skt.
40134	1 1/16"	Skt.
40136	1 1/8"	Skt.
4V118	9/16"	Ford V8 Rod Skt.
40809		Drag Link Skt.
40152		Slide T
40161		5" Extension
40162		10" Extension
40181		Speeder
40190		Universal Joint
41650		Cross Bar
41653		Flex Handle
42470		Reversible Ratchet

No. 4088 Socketchest (Eighty-eight Pieces)
Std. Pkg. 1 Shipping Weight Each, 70 lbs.


3/8"
1/4" 1/2"
square drive



No.	Description	No.	Description
Box End Wrenches			
40818	9/16" Deep Skt.	33512	3/8" x 7/16" Short
40820	5/8" Deep Skt.	33516	1/2" x 9/16" Short
40822	11/16" Deep Skt.	33520	5/8" x 11/16" Short
40824	3/4" Deep Skt.	33012	3/8" x 7/16" Long
40826	13/16" Deep Skt.	33016	1/2" x 9/16" Long
40828	7/8" Deep Skt.	33018	9/16" x 5/8" Long
40830	15/16" Deep Skt.	33022	11/16" x 3/4" Long
40832	1" Deep Skt.	33026	13/16" x 7/8" Long
40836	1 1/8" Deep Skt.	33030	15/16" x 1" Long



3/4" square drive



4727

No. 4727 Set

Designed for heavy duty truck, tractor and bus work. This popular assortment of 3/4" square drive sockets and handles will serve the needs of the average mechanic. Eleven pieces packed in a metal case, baked enamel finish, and includes one each of the following:

No.	Description	No.	Description
47134	1 1/16" Skt.	47152	1 5/8" Skt.
47136	1 1/8" Skt.	47153	Slide T
47140	1 1/4" Skt.	47161	8" Extension
47144	1 3/8" Skt.	47162	16" Extension
47146	1 7/16" Skt.	47170	Reversible Ratchet
47148	1 1/2" Skt.		

No. 4727 Set (Eleven Pieces)

Std. Pkg. 1

Shipping Weight Each, 24 lbs.

3/4" square drive



4707

No. 4707 Set

This nineteen piece, 3/4" square drive set with its full range of sockets from 1 1/16" through 2" will answer the needs of the mechanic who must take care of heavy duty truck, tractor, bus, oil well, railway or Diesel equipment. The set is packed in a very well constructed hip-roof box with lift-out tray. Furnished with piano type hinges, nickel plated hasp, heavy corner irons and side catches. Baked enamel finish. Overall dimensions of box — 19" x 7" x 8 3/4". Set consists of one each of the following:

No.	Description	No.	Description
47134	1 1/16" Skt.	47154	1 1/16" Skt.
47136	1 1/8" Skt.	47156	1 3/8" Skt.
47138	1 3/16" Skt.	47158	1 13/16" Skt.
47140	1 1/4" Skt.	47160	1 7/8" Skt.
47142	1 5/16" Skt.	47164	2" Skt.
47144	1 3/8" Skt.	47153	Slide T
47146	1 7/16" Skt.	47161	8" Extension
47148	1 1/2" Skt.	47162	16" Extension
47150	1 9/16" Skt.	47170	Reversible Ratchet
47152	1 5/8" Skt.		

No. 4707 Set (Nineteen Pieces)

Std. Pkg. 1

Shipping Weight Each, 46 lbs.

BOX END WRENCHES

Heat Treated and Tested

Chromium Plated and Polished

23° Offset

The long type wrench gives the necessary leverage which is so often needed, while the short type wrench makes accessible those tight places so often found on modern automobiles and machinery. Drop forged. Precision broached. Walls are thin but exceptional strength is given by the best available steels used in their manufacture.

SHORT TYPE

No.	Sizes	Length	Std. Pkg.	Pkg. Wt.
33512	$\frac{3}{8}$ " x $\frac{7}{16}$ "	$4\frac{3}{4}$ "	6	.60 lb.
33516	$\frac{1}{2}$ " x $\frac{9}{16}$ "	$5\frac{3}{8}$ "	6	1.00 lb.
33520	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6"	6	1.30 lbs.

No. 3350 Set

Above three short type in carton.

Std. Pkg. 1

Shipping Weight Each, .5 lb.

LONG TYPE



No.	Sizes	Length	Std. Pkg.	Pkg. Wt.
33012	$\frac{3}{8}$ " x $\frac{7}{16}$ "	$7\frac{3}{8}$ "	6	.85 lb.
33016	$\frac{1}{2}$ " x $\frac{9}{16}$ "	$8\frac{3}{4}$ "	6	1.60 lbs.
33018	$\frac{9}{16}$ " x $\frac{5}{8}$ "	$9\frac{7}{8}$ "	6	2.20 lbs.
33022	$\frac{11}{16}$ " x $\frac{3}{4}$ "	$11\frac{3}{8}$ "	6	3.10 lbs.
33026	$\frac{13}{16}$ " x $\frac{7}{8}$ "	13"	6	4.10 lbs.
33030	$\frac{15}{16}$ " x 1"	$14\frac{15}{16}$ "	6	6.20 lbs.


No. 3306 Set

Above six long type in carton.

Std. Pkg. 1

Shipping Weight Each, 3.1 lbs.





HEAVY DUTY TOOL BOX

No. 1502

Constructed of 22-gauge steel. The lift-out tote tray has heavy carrying bar and full length partitions for socket wrenches and handles. Beneath the tray there is ample room for storage of other long wrenches, screwdrivers, punches, hammers, etc. This hip-roof box affords plenty space to carry sufficient tools for nearly any job. Equipped with two full length piano type hinges, metal carrying handle, nickel plated corner irons, hasp for padlock, and side catches. Folded edges increase strength and rigidity. Attractive baked enamel finish.

No.	Dimensions	Std. Pkg.	Ship. Wt.
1502	19" x 7" x 8 $\frac{3}{4}$ "	1	10 lbs.

No. 1512 Tote Tray (Tray only for No. 1502 Box.)

Std. Pkg. 1 Shipping Weight Each, 4.0 lbs.




GENERAL PURPOSE TOOL BOX

No. 619

Made of 22-gauge steel. Designed for the mechanic who must have a box that will stand up under heavy use. Has lift-out tray, 18 $\frac{3}{8}$ " x 6 $\frac{5}{8}$ " x 1 $\frac{3}{8}$ ", as illustrated. Full length piano type hinge, nickel plated corner irons on all eight corners, heavy hasp for padlock, and side catches. Metal handle. Baked enamel finish.

No.	Dimensions	Std. Pkg.	Ship. Wt.
619	19" x 7" x 7 $\frac{1}{4}$ "	1	9.3 lbs.



CARPENTER'S TOOL CHEST

No. 1532

A handy tool chest with space for plenty of carpenter tools. Built of 22-gauge steel. Has two clips welded to inside front to hold level, slot for square at right front end. The bottom is covered by fiber board insert with wooden block grooved for three saws. Full size, round, metal handle on end, in addition to one on top. Piano type hinge runs full length of chest. Equipped with heavy, nickel plated corner irons and sturdy hasp for padlock. Attractive baked enamel finish.

No.	Dimensions	Std. Pkg.	Ship. Wt.
1532	32" x 8" x 10"	1	16 lbs.



S-K tool boxes

ALL PURPOSE TOOL BOX

No. 620

The uses for the No. 620 Box are unlimited. A very popular box with mechanics, electricians, plumbers or home handy-men. Made of 20- and 22-gauge steel to insure strength and rigidity. Sturdy metal handle to "fit the hand". Has a convenient lift-out tote tray with strong, tubular handle and partitions for tools or small parts. Dimensions of tray — $19\frac{1}{2}" \times 7\frac{3}{4}" \times 2"$. Spot-welded seams, piano type stop hinge, nickel plated catches and hinge hasp for padlock. Attractive baked enamel finish.

No.	Dimensions	Std. Pkg.	Ship. Wt.
620	$20" \times 8\frac{1}{2}" \times 9\frac{1}{2}"$	1	13 lbs.




GENERAL MECHANIC'S BOX

No. 1503

Made of 22-gauge steel. Lift-out tote tray has carrying bar and full length partitions for sockets and handles. Adequate space below tray for other tools. Equipped with round, metal carrying handle, nickel plated side catches and hasp for padlock.

No.	Dimensions	Std. Pkg.	Ship. Wt.
1503	$20" \times 6" \times 6"$	1	9.4 lbs.



GENERAL UTILITY BOXES

Nos. 114 and 119

These handy boxes have many uses around the home, for amateur mechanics, junior fishermen, etc. Cantilever tray is partitioned to accommodate a variety of small articles. Rounded corners, nickel plated hasp and side catches. All seams electrically welded. Made of 26 gauge steel. Attractive baked enamel finish.

No.	Dimensions	Std. Pkg.	Pkg. Wt.
114	$14" \times 6" \times 6\frac{1}{2}"$	6	26 lbs.
119	$19" \times 6" \times 6\frac{1}{2}"$	6	35 lbs.





MASTER MECHANIC'S TOOL BOX

No. 6000

This large hip-roof box is rigidly constructed of 20 and 22 gauge steel. Full length piano type hinges, folded edges and heavy corner irons provide additional strength and protection. Also equipped with nickel plated side catches and hasp for padlock. Full size tote tray is partitioned for sockets and other small tools and has heavy, tubular steel carrying bar. Large bottom compartment of box has partition for heavy duty sockets. An unusual cover arrangement opens part of the front side, making it easier to get at tools in bottom. Baked enamel finish.

No.	Dimensions	Std. Pkg.	Ship. Wt.
6000	20" x 8" x 9 $\frac{3}{4}$ "	1	13 lbs.



HEAVY DUTY TOOL CHEST

No. 6610

An ideal chest for the professional mechanic. Top compartment contains an 18" tote tray for carrying emergency tools right to the job. Balance of top compartment partitioned to accommodate a complete range of sockets and handles. The top drawer, dimensions — 2" x 9" x 20 $\frac{1}{4}$ " — is divided into compartments for end wrenches and miscellaneous small tools. The bottom drawer, 3" x 9" x 20 $\frac{1}{4}$ ", will accommodate $\frac{3}{4}$ " drive sockets and handles and other bulky tools. Removable front panel covers drawers and is securely locked in place by cover. When not in use, panel is stored in slot at bottom of chest. Baked enamel finish, nickel plated side catches and hasp for padlock. There is a sturdy handle on each end for carrying.

No.	Dimensions	Std. Pkg.	Ship. Wt.
6610	22" x 10" x 10"	1	38 lbs.



HEAVY DUTY MACHINIST CHEST

No. 6614

A Chest that is in demand wherever offered. Steel construction throughout. Equipped with five drawers, one each 7 $\frac{1}{2}$ " x 18 $\frac{1}{8}$ " x 2", 7 $\frac{1}{2}$ " x 18 $\frac{1}{8}$ " x 3", 7 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ " x 2", and two drawers — 7 $\frac{1}{2}$ " x 9 $\frac{1}{2}$ " x 1". Drawers and inside of top compartment are lined with green felt. Drawers will not pull out. Attractive baked enamel finish. Equipped with nickel plated hardware throughout. The front panel slides into a recess at bottom of the drawers when Chest is open. When Chest is closed this panel fits against drawers and is held by nickel plated lock, thus locking drawers securely.

No.	Dimensions	Std. Pkg.	Ship. Wt.
6614	20" x 8 $\frac{3}{4}$ " x 13"	1	28 lbs.




PRINCIPLES OF OPERATION AND MAINTENANCE

S-K Ratchets are close acting, positive type. As pressure is applied to the handle, the pawl, or dog, is forced outward against the assembly housing, assuring positive action. Three teeth of the pawl are engaged at all times while ratchet is in use.


S-K Ratchets operate in a space of from 5.1° to 9° , depending on drive size, and have very little or no back movement (See Fig. A).

Conventional ratchets are designed on the principle of a shearing action. Pressure applied to handle is transferred by the pawl to the drive gear. Only one tooth is engaged or "in shear". Because of tendency to break or shear off, teeth must be large. Thus the number of teeth and positions in this type ratchet are limited. Shear type ratchets generally operate in from 10° to 20° and have a 5° to 10° back movement, decreasing efficiency. (See Fig. B)

To increase the life of S-K Ratchets it is advisable to periodically remove the operating mechanism, following simple steps illustrated below, and wash out accumulated grease and grit in a cleaning solvent. No lubrication is needed to assure proper performance.



To remove mechanism place ratchet in neutral position.



Compress snap ring with screwdriver, thin or bent-nose plier.




With snap ring compressed, strike back of ratchet on solid surface.



To replace mechanism set it in neutral position.



Insert unit in handle, holding cap in place. Put snap ring in position.



Compress snap ring with thin or bent-nose plier and seat unit in handle.

Figure A







Figure B



RATCHET RENEWALS

If upon inspection the operating mechanism is found to be worn out, the following Ratchet Renewals are available from your tool source. On-the-spot purchase and installation of a renewal unit eliminates the necessity of the mechanic being without his ratchet while it is being serviced.

Part No.	Drive Size	Used With	Std. Pkg.	Wt. Each
B40970	$\frac{1}{4}$ " Square	40970	1	.06 lbs.
B45170	$\frac{3}{8}$ " Square	45170	1	.17 lb.
B42470	$\frac{1}{2}$ " Square	42470	1	.32 lb.
B47170	$\frac{3}{4}$ " Square	47170	1	1.06 lbs.



NO. 20 S-K DISPLAY

CANADIAN MECHANIC'S NET PRICE LIST



DISPLAY EQUIPMENT

		Mechanic's Net Price	Page No.
No. 20	S-K Display Stand — Complete with 10 Socket Sets	\$454.20	Supplement
No. 21	S-K Display and Stock Board — Complete with 84 pcs.	135.95	Supplement
No. 22	S-K Display and Stock Board — Complete with 80 pcs.	139.75	Supplement
No. 23	S-K Display and Stock Board — Complete with 20 pcs.	83.75	Supplement
No. 24	S-K Display and Stock Board — Complete with 164 pcs.	275.65	Supplement

Part No.	Mechanic's Net Price	Page No.	Part No.	Mechanic's Net Price	Page No.
3306	\$ 9.50	19	40116	\$.69	6
3350	3.75	19	*4V118	.93	6
4012	13.60	12	40118	.75	6
4015	24.30	12	40119	.75	6
4018	30.05	13	40120	.75	6
T4018	27.35	13	40122	.85	6
4053	75.30	15	40124	.95	6
4066	106.25	16	40125	.98	6
4088	137.00	17	40126	1.00	6
4097	5.75	9	40128	1.08	6
4098	13.00	9	40130	1.11	6
4218	36.35	14	40132	1.21	6
4347	39.50	14	40134	1.31	6
4408	8.15	10	40136	1.44	6
4502	45.20	13	40138	1.49	6
4511	15.00	10	40140	1.49	6
4517	21.85	11	40152	2.16	7
T4517	19.90	11	40161	1.49	7
4530	45.20	11	40162	1.80	7
4606	16.40	10	40181	2.52	7
4707	77.45	18	40190	2.57	6
4727	47.30	18	40250	.51	7
4809	15.00	12	40253	4.24	7
33012	1.08	19	40412	.93	4
33016	1.20	19	40414	.93	4
33018	1.36	19	40416	.93	4
33022	1.60	19	40418	.98	4
33026	1.87	19	40420	1.05	4
33030	2.40	19	40422	1.13	4
33512	1.07	19	40424	1.21	4
33516	1.20	19	40426	1.36	4
33520	1.44	19	40612	2.57	4
40103	.98	6	40614	2.57	4
40104	.98	6	40616	2.57	4
40105	.98	6	40618	2.57	4
40106	.98	6	40620	2.57	4
40114	.69	6	40622	2.75	4

* Extra thin for Ford Con.-Rod. — Not Guaranteed.

THE SHERMAN-KLOVE CO.

3535 W. 47th St.

CHICAGO 32, ILLINOIS, U.S.A.

JOS. ST. MARS EASTERN LIMITED
TORONTOJOS. ST. MARS LIMITED
WINNIPEG

NATIONAL DISTRIBUTORS

Part No.	Mechanic's Net Price	Page No.	Part No.	Mechanic's Net Price	Page No.
40624	2.75	4	45118	.62	4
40809	1.49	6	45120	.62	4
40818	1.49	6	45122	.72	4
40820	1.49	6	45124	.75	4
40822	1.49	6	45150	.54	5
40824	1.49	6	45153	3.03	5
40826	1.64	6	45160	1.11	5
40828	1.80	6	45161	1.49	5
40830	1.93	6	45162	1.80	5
40832	2.06	6	45170	6.45	5
40836	2.29	6	B45170	2.70	23
40900	.44	3	45181	2.42	5
40901	.44	3	45190	2.60	4
40906	.44	3	47134	1.80	8
40907	.44	3	47136	1.80	8
40908	.44	3	47138	1.98	8
40909	.44	3	47140	1.98	8
40910	.44	3	47142	2.11	8
40911	.44	3	47144	2.26	8
40912	.44	3	47146	2.52	8
40914	.44	3	47148	2.80	8
40950	.26	3	47150	2.88	8
40953	1.82	3	47152	2.96	8
40961	.77	3	47153	4.78	8
40962	1.08	3	47154	3.57	8
40970	4.93	3	47155	9.02	8
B40970	2.49	23	47156	3.80	8
40988	.44	3	47158	3.98	8
41650	.82	7	47160	4.39	8
41653	5.14	7	47161	3.26	8
42470	7.50	7	47162	4.11	8
B42470	2.98	23	47164	4.86	8
45112	.62	4	47170	18.90	8
45114	.62	4	B47170	5.52	23
45116	.62	4			

WARRANTY: All S-K Tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship will be repaired or replaced free of charge upon inspection by the company. Tools abused or worn out will not be replaced.

TOOL BOXES

Part No.	DESCRIPTION	Mechanic's Net Price	Page No.
114	14" x 6" x 6½" General Utility Box.....	\$ 3.95	21
119	19" x 6" x 6½" General Utility Box.....	4.60	21
619	19" x 7" x 7¼" General Purpose Tool Box.....	7.25	20
620	20" x 8½" x 9½" All Purpose Tool Box.....	9.35	21
1502	19" x 7" x 8¾" Heavy Duty Tool Box.....	8.70	20
1503	20" x 6" x 6" General Mechanic's Box.....	7.25	21
1512	Tray only "For 1502 Box".....	3.55	20
1532	32" x 8" x 10" Carpenter's Tool Chest.....	10.90	20
6000	20" x 8" x 9¾" Master Mechanic's Tool Box.....	11.85	22
6610	22" x 10" x 10" Heavy Duty Tool Chest.....	24.35	22
6614	20" x 8¾" x 13" Heavy Duty Machinist's Chest.....	28.30	22

Prices, Terms and Conditions Subject to Change Without Notice

THE SHERMAN-KLOVE CO.

3535 W. 47th St.

CHICAGO 32, ILLINOIS, U.S.A.

JOS. ST. MARS EASTERN LIMITED
TORONTO

JOS. ST. MARS LIMITED
WINNIPEG

NATIONAL DISTRIBUTORS